

LIMBACH & LIMBACH L.L.P. 2001 Ferry Building, San Francisco, CA 94111

415/433-4150 Address to:

> Assistant Commissioner for Patents Washington, D.C. 20231

Box Patent Application

Attorney's Docket No. SONY-C7751 [S97P751US00]

First Named Inventor HISATO SHIMA

UTILITY PATENT APPLICATION TRANSMITTAL

(under 37 CFR 1.53(b))

SIR:

Transmitted herewith for filing is the patent application entitled: DIGITAL RECORDING APPARATUS AND COPYRIGHT PROTECTION METHOD THEREOF

CERTIFICATION UNDER 37 CFR § 1.10

I hereby certify that this New Application and the documents referred to as enclosed herein are being deposited with the United States Postal Service on this date MARCH 3, 2000, in an envelope bearing "Express Mail Post Office To Addressee" Mailing Label Number EL254108553US addressed to: Box

Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.
JOHN LYDDAN limasidalin
(Name of person mailing paper) (Signature)
Enclosed are:
1. X Transmittal Form (two copies required)
The papers required for filing date under CFR § 1.53(b): i. 24 Pages of specification (including claims and abstract); ii. 5 Sheets of drawings.
3. Declaration or oath
a Newly executed (original or copy)
b. X Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Item 12 completed)
X Incorporation By Reference (to be used if Item 3b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Item 3b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein. i
4 Microfiche Computer Program (Appendix, see 37 CFR 1.96)
Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) Computer Readable Copy ii Paper Copy (identical to computer copy) iii Statement verifying identity of above copies
ACCOMPANYING APPLICATION PARTS
 An assignment of the invention to is attached (including Form PTO-1595). The prior application is assigned of record to <u>Sony Corporation</u>; Assignment recorded in PTO on <u>January 26</u>, 1998, Ref. <u>8921</u>, Frame(s) <u>0396</u>.

- The prior application is assigned, and the assignment (copy attached) was submitted to PTO for recording on .
- i. __ 37 CFR 3.73(b) Statement (when there is an assignee)
- 7. X Power of Attorney
- 8. X An Information Disclosure Statement (IDS) is enclosed.
- 9. Preliminary Amendment.
- 10. X Return Receipt Postcard (MPEP 503 -- should be specifically itemized)
- 11. __ Other

7

- 12. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information
 - X Continuation
 - Divisional
 - Continuation-In-Part (CIP)

of immediately prior application No. 08/922,862, filed September 3, 1997.

 RELATE BACK - 35 USC 120: If one of the above boxes are checked, please amend the specification by inserting before the first line the sentence: --This is a [XX] continuation [] divisional of Application no. 08/922,862, filed September 3, 1997 .--

[Note to form user: lines for item 12 are intentionally spaced to permit Examiner amendments.]

- ii. MAINTENANCE OF COPENDENCY OF PRIOR APPLICATION
 - (This item <u>must</u> be completed and the necessary papers filed in the prior application if the period set in the prior application has run).
 - [] A petition, fee and response has been filed to extend the term in the pending prior application until .
 - A copy of the petition for extension of time in the prior application is attached.
- iii. CONDITIONAL PETITIONS FOR EXTENSION OF TIME IN PRIOR APPLICATION (Complete this item and file conditional petition in prior application if previous item (ii) not
 - [] A conditional petition for extension of time is being filed in the pending prior application.
 - [] A copy of the conditional petition for extension of time in the prior application is attached.

13. FOREIGN PRIORITY

[X] Priority of application no. <u>P08-255464</u> filed on <u>September 5, 1996</u> in <u>Japan</u> is claimed under 35 USC 119.

The certified copy of the priority application:

- is filed herewith; or
- X has been filed in prior application no. <u>08/922,862</u> filed on <u>September 3, 1997</u>, or will be provided.
- English Translation Document (if applicable)

14. FEE CALCULATION

- a. __ Amendment changing number of claims or deleting multiple dependencies is enclosed.
- Cancel in this application original Claims 2-11 of the prior application before calculating the filing fee.

CLAIMS AS FILED

	Number Filed	Number Extra	Rate	Basic Fee (\$690)
Total Claims	1 - 20	* 0	x \$18.00	0
Independent Claims	1 - 3	* 0	x \$78.00	0
Multiple dep	endent claim(s), if	any	\$260.00	0

*If less than zero, enter "O".	Filing Fee Calculation \$690.00
	50% Filing Fee Reduction (if applicable) \$
15. Small Entity Status a A small entity statement is enclosed b A small entity statement was filed in still proper and desired. c is no longer claimed.	n the prior nonprovisional application and such status is
Other fees	\$
17. Payment of Fees X Check(s) in the amount of \$ 690.00 — Charge Account No. 12-1420 in the amount of this transmittal is attache	ount of \$
18. All correspondence regarding this application	should be forwarded to the undersigned attorney:

Charles P. Sammut Limbach & Limbach L.L.P. 2001 Ferry Building San Francisco, CA 94111 Telephone: 415/433-4150 Facsimile: 415/433-8716

- 19. Authorization to Charge Additional Fees
 - The Commissioner is hereby authorized to charge any additional fees (or credit any overpayment) associated with this communication and which may be required under 37 CFR § 1.16 or § 1.17 to Account No. 12-1420. A duplicate of this transmittal is attached.

LIMBACH & LIMBACH L.L.P.

Attorney Docket No. SONY-C7751 [S97P751US00]

Charles P. Sammut Registration No. 28,901 Attorney(s) or Agent(s) of Record

PATENTS\APP-TRAN.MRG - 3 -Rev. 10/13/98

DIGITAL RECORDING APPARATUS AND COPYRIGHT PROTECTION METHOD THEREOF

BACKGROUND OF THE INVENTION

Field of the Invention

This invention relates to a technique for processing copyright information in recording apparatus such as digital video cassette recorders (refer to as DVCR hereinafter) provided with a digital interface based on IEEE1394 format and computers.

Description of the Related Art

Commercial DVCRs which record/reproduce digitized video signals and audio signals have been commercially available. Such DVCR is provided with an interface for inputting and outputting video signals and audio signals as they are digital. Therefore, digital doubling is possible between DVCRs provided with a digital interface.

The digital interface described herein above is arranged in accordance with IEEE1394. In audio and video signal transmission protocol of IEEE1394, a digital interface transmits signals to a transparent based on the concept that transmission apparatus side and receiving side deal with copyright protection. Therefore a digital

interface transmits signals without copyright information.

Content send by way of a digital interface is divided into two main classes, namely dynamic image signals and other signals (such as computer data and programs). It is required to manage copyright in all apparatus including computers in the case of dynamic image signals. However, in the case of an apparatus such as a computer in which data are writable using a software, copy management information itself can be rewritten.

The present invention has been accomplished in view of such problem, it is the object of the present invention to provide a method for protecting copyright in which an apparatus capable of rewriting copy management information such as a computer can not accept signals other than copy free signals.

In order to solve the above-mentioned problem, the method for copyright protection in accordance with the present invention is the copyright protection method of digital signal to be inputted to a digital recording apparatus provided with a digital interface, in a header of a transmission frame of the digital signal to be transmitted a copyright protection information is contained, the copyright protection information restricts recording

of the digital signal to be inputted to the digital recording apparatus, wherein the copyright protection information includes the copy free information for indicating the digital recording apparatus that the digital signal is copy free, and the information for indicating the digital recording apparatus so that the digital recording apparatus performs copy management in compliance with the copyright information included in the content of the transmitted transmission frame.

A medium in accordance with the present invention is the medium which receives a content including digital signal for performing copyright protection, in a header of a transmission frame of the digital signal to be transmitted a copyright protection information is contained, and the copyright protection information restricts recording of the digital signal to be inputted to the digital recording apparatus, wherein the copyright protection information includes the copy free information for indicating the digital recording apparatus that the digital signal is copy free, and the information for indicating the digital recording apparatus so that the digital recording apparatus performs copy management in compliance with the copyright information included in the content of the transmitted

transmission frame.

The digital recording apparatus in accordance with the present invention is the digital recording apparatus provided with a digital interface, wherein the digital recording apparatus has a means for detecting the copyright protection information provided in a transmission header of a transmission frame of a digital signal inputted through the digital interface, and a means for taking in the transmission frame and for allowing recording processing if the copyright protection information indicates copy free of the digital signal.

The control IC in accordance with the present invention is the control IC for controlling a link layer of a digital interface mounted on a digital recording apparatus provided with the digital interface, wherein the control IC has a means for detecting the copyright protection information provided in a transmission header of a transmission frame of a digital signal inputted through the digital interface, and a means for taking in the transmission frame and for indicating recording processing to the digital recording apparatus if the copyright protection information indicates copy free of the digital signal.

According to the present invention, a recording

apparatus which does not perform processing in compliance with the copyright information with a hardware accepts transmission frames only when the copyright protection information in a transmission header indicates copy free. A recording apparatus which performs processing in compliance with the copyright information with a hardware which accepts transmission frames when the copyright protection information in the transmission header indicates copy free, and when the copyright protection information in the transmission header indicates compliance with the copyright information contained in the content of the transmission frame, the copyright information in the content is fetched based on the signal format type information of the transmission header.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1A and Fig. 1B are diagrams for illustrating the operation of a system to which the present invention is applied.

Fig. 2 is a diagram for illustrating the structure of the isochronous packet.

Figs. 3A and 3B are diagrams for illustrating format of a CIP header.

Fig. 4 is a diagram for illustrating the internal structure of a DVCR which is a CGMS acceptable apparatus including LINC and peripheral components.

Fig. 5 is a diagram for illustrating an ON-OFF switch portion actuated in response to the control performed by a copy free flag processing block for CGMS unacceptable apparatus.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Embodiments of the present invention will be described in detail hereinafter with reference to the drawings.

The present invention addresses on the content (for example, software such as movie pictures and programs transmitted from satellite broadcasts, and software reproduced from media such as video tapes and video disks sold as rental video and video software.) which controls copyright information according to CGMS-D (Copy Generation Management System-Digital) system. An apparatus which can perform copyright protection management based on the management information defined by way of the CGMS-D system is referred to as CGMS acceptable apparatus, and an apparatus which has no function of copyright protection management

is referred to as CGMS-D unacceptable apparatus.

The CGMS-D system indicates copyright management condition using three codes. "00" indicates that the content is copy free, "11" indicates that the content is not copy free, and "10" indicates that the content can be copied only once.

The CGMS acceptable apparatus performs the processing "do not record if the apparatus detects that the content intended to be recorded is dynamic image signals and not allowed to be copied" using the above-mentioned code "00" by means of the hardware provided in the apparatus. The CGMS acceptable apparatus performs the processing "flag is changed to no copy flag and recording is performed if the apparatus detects that the content intended to be recorded is dynamic image signals and allowed to be copied once" using the above-mentioned code "10".

The CGMS unacceptable apparatus does not have a function to perform such processing. The apparatus which does not check the CGMS code by itself but an built-in driver software checks the CGMS code is not included in the category of CGMS acceptable apparatus. In other words, an apparatus in which the response to the CGMS is changeable dependently on a software such as a computer is categorized to the CGMS

unacceptable apparatus.

The operation of a system to which the present invention is applied is shown in Figs. 1A and 1B. Fig. 1A shows a combination of a reproducer 1 and a CGMS acceptable recorder 2 connected with IEEE1394 serial bus 3, and Fig. 1B is a combination of a reproducer 1 and a CGMS unacceptable recorder 4 connected with IEEE1394 serial bus. Herein, the reproducer includes not only a DVCR described herein above but also a digital television tuner and digital television receiver having function to receive digital television broadcast and output digital video signals and digital audio signals to IEEE1394 serial bus.

As shown in Fig. 1A, in the case that the recorder is CGMS acceptable, the transmitted signal can be accepted, and on the other hand, in the case that the recorder is CGMS unacceptable as shown in Fig. 1B, the transmitted signal can not be accepted by the digital interface (herein, IEEE1394 interface) though the signal in Fig. 1B is the same as the signal in Fig. 1A.

A transmission frame (isochronous packet)
transmitted to IEEE1394 serial bus has the structure as shown
in Fig. 2, in the case that real time data such as digital
audio signals or digital video signals are transmitted, a

header referred to as CIP header is added. The format of a CIP header is shown in Figs. 3A and 3B. Fig. 3A shows a CIP header with a time sump (SYT) and Fig. 3B shows a CIP header without a time sump (SYT).

In this embodiment, copyright protection information is added to the digital video signal having the isochronous packet type structure using the reserved area (rsv) (2 bits) of a CIP header as described in (1) and (2) herein under in detail.

- (1) A bit which indicates copy free and flag of CGMS-D contained in the content are detected, and a bit which indicates that the recording apparatus should follow the indication is assigned respectively.
- (2) Only 1 bit is used, and 0 indicates copy free and 1 indicates that a flag of the CGMS-D in the content is detected and an indication that the apparatus should perform in compliance with the indication is given to the recording apparatus.

In detail, in the case that the recorder is a CGMS acceptable apparatus, if the bit of the reserved area of the CIP header is a bit which is in the condition that indicates copy free, the recorder accepts the data of the content as it is. A flag of CGMS-D is detected, and If the

flag is a flag which is in the condition that indicates compliance with the CGMS-D, the recording apparatus accepts the flag of CGMS-D and performs processing of the copy management in compliance with the CGMS-D. Herein, because location where a flag of CGMS is contained is different depending on the type of the signal transmitted on the IEEE1394 serial bus, the type of the signal is judged based on the FMT (format field) of the CIP header and the location of the flag is confirmed. For example, a flag of a CGMS is located in a VAUX (video auxiliary data) in the case of reproduction signals of DVCR (SD, HD), differently, a flag of a CGMS is located in a PES header in the case of receiving signal of digital broadcast such as DirecTV and DVB.

A recorder that is a CGMS unacceptable apparatus accepts it as it is if the bit of the reserved area of a CIP header is a bit which is in the condition that indicates copy free. The recorder does not accept the input data content if the flag of CGMS-D is detected, and the flag is a flag which is in the condition that indicates the recording apparatus to perform compliance with CGMS-D.

In both cases of a CGMS acceptable apparatus and CGMS unacceptable apparatus, the hardware of link layer control IC of the IEEE1394 interface performs the above-mentioned

processing. In other words, copyright protection is performed by the digital interface using the link layer control IC for a CGMS acceptable apparatus or using the link layer control IC for a CGMS unacceptable apparatus.

Fig. 4 shows the internal structure of a DVCR which is a CGMS acceptable apparatus including a link layer control IC (refer to as LINC hereinafter) with peripheral components. The DVCR is provided with a physical layer control IC (refer to as PHY hereinafter) 1, a LINC 2, a microprocessor 3, a digital VCR signal processor 4, and PLL 5.

PHY 1 performs initialization of the bus and conciliation of usufructuary right. PHY 1 communicates data such as digital video signals and various control signals (control) with LINC 2, and transmits these data and control signals to the cable. Further PHY 1 supplies a system clock (sysclk) to LINC 2. Details of LINC 2 is described hereinafter. The microprocessor 3 performs control of PHY 1 and LINC 2 and acquisition of isochronous communication band. The digital VCR signal processor 4 records/reproduces digital video signals and digital audio signals. PLL 5 receives frame synchronizing information from LINC 2 and generates clock signals (clk), and supplies them to LINC 2 and the digital VCR signal processor 4.

The internal of LINC 2 is divided to three main blocks of isochronous system, asynchronous system, and basic block. The isochronous system is a block for generating and analyzing isochronous packets on which data such as digital video signals are loaded, and the asynchronous system is a block for generating and analyzing asynchronous packets on which control signals such as commands for controlling apparatus are loaded.

The asynchronous system comprises a microprocessor interface 6, control resistor 7, asynchronous packet transmission FIFO 8, asynchronous packet receiving FIFO 9, and self ID packet processing block 10.

Basic block 11 is provided with a clock, CRC, physical interface, transmission block, and receiving block.

The isochronous system comprises a digital signal processing interface 12, isochronous packet transmission receiving FIFO 13, header and synchronous information adding circuit 14, header removing and synchronous information restoration circuit 15, copy free flag processing block 16, CGMS processing block 17, and switch SW.

The microprocessor interface 6 transmits to and receives from the microprocessor 3 the data corresponding to the request from the high order layer.

The microprocessor 3 writes data in the control resistor 7 at the predetermined position to control the operation of LINC 2. While asynchronous packets are transmitted or received, this operation is performed by reading or writing the predetermined address. Further, the partial header of the isochronous packet is transmitted or received through this resistor.

The asynchronous packet transmission FIFO 8 stores temporarily the packet generated by the microprocessor 3. The stored packet is read by the basic block 11 immediately when the bus becomes free.

The basic block 11 writes the packet transferred from the bus in the asynchronous packet receiving FIFO 9. The microprocessor 3 reads it after confirming that the this FIFO is not free.

The self ID packet processing block 10 performs processing of node information received during initialization of the bus, and detects the number of nodes connected to the bus and the node that controls the isochronous channel of the bus.

The physical interface of the basic block 11 performs parallel/serial conversion of transmission data and serial/parallel conversion of reception data. The

transmission block judges condition of the bus, and controls transmission of the packet. The reception block determines a component to be written depending on the type of the received packet (asynchronous or isochronous).

The digital signal processing interface 12 converts data of the digital VCR signal processing system 4 to data of the isochronous packet format while transmitting, and converts inversely while receiving.

The isochronous packet transmission reception FIFO 3 is a FIFO which functions also to transmit/receive an isochronous packet, the packet is read by the basic block 11 as long as the packet is read while transmitting, and the packet is written as long as the FIFO does not overflow while receiving.

The header and synchronous information adding circuit 14 writes the information specified by the IEEE1394 in the header portion (before the data field in Fig. 2). Further the header and synchronous information adding circuit 14 digitizes the frame synchronous signal of a video signal to be transmitted based on the clock in the basic block 11, and writes it in a specified packet.

The header removing synchronous information restoration circuit 15 removes information from the header.

thereafter writes only data in the isochronous packet transmission reception FIFO 3. Further, the header removing synchronous information restoration circuit 15 transmits the bit in the reserved area in a CIP header to the copy free flag processing block 16. Further, the header removing synchronous information restoration circuit 15 restores the frame synchronous signal from the digitized frame synchronous information written in a specified packet based on the clock in the basic block 11.

The copy free flag processing block 16 switches the switch SW to the terminal-a side if the bit in the reserved area received from the header removing and synchronous information restoration circuit 15 indicates free copy, and switches to the terminal-b side if the flag is detected and the flag indicates compliance with the CGMS-D.

The CGMS processing block 17 separates FMT in a CIP header from a digital video signal which is outputted from the digital signal processing interface 12 and inputted through the switch SW, and sends it with the digital video signal and digital audio signal to the digital VCR signal processing system 4.

Therefore, if the bit of the reserved area in a CIP header indicates compliance with the CGMS-D with reference

to the flag of CGMS-D, a digital video signal and digital audio signal are supplied from the digital signal processing interface 12 to the digital VCR signal processing system 4, and FMT is supplied from the CGMS processing block 17. The digital VCR signal processing system 4 identifies the location where the CGMS flag is located based on FMT (which is VAUX data if it is a reproduction signal of DVCR, and which is PES header if it is a digital television broadcast signal), and performs recording processing according to the CGMS flag.

To the contrary, if the bit of the reserved area in the CIP header indicates copy free, only the digital video signal and digital audio signal are supplied from the digital signal processing interface 12 to the digital VCR signal processing system 4, and the digital VCR signal processing system 4 performs recording processing as it is.

The CGMS acceptable apparatus is described hereinbefore with reference to Fig. 4. On the other hand, the CGMS processing block 17 is removed from Fig. 4, the signal line between the digital signal processing interface 12 and digital VCR signal processing system 4 is changed to a two-way signal line, and a switch SW which is turned ON/OFF by the copy free flag processing block 16 is provided

on the two-way signal line, and thereby a CGMS unacceptable apparatus is structured. (Fig. 5)

In the above-mentioned embodiments, copyright protection information is provided in rsv area of a CIP header, however it is possible to provide copyright protection information in an area other than rsv area (for example, sy area in a header information)

As described hereinbefore, according to the present invention only the apparatus which performs correct copy management can accept and record signals from the digital interface.

WHAT IS CLAIMED IS:

1. A copyright protection method of digital signal to be inputted to a digital recording apparatus comprising a digital interface, in a header of a transmission frame of said digital signal to be transmitted a copyright protection information being contained, and said copyright protection information restricting recording of said digital signal to be inputted to said digital recording apparatus, wherein said copyright protection information including:

the copy free information for indicating said digital recording apparatus that said digital signal is copy free, and

the information for indicating said digital recording apparatus so that said digital recording apparatus performs copy management in compliance with the copyright information included in the content of said transmitted transmission frame.

- 2. The copyright protection method of digital signal as claimed in claim 1, wherein said digital interface is an interface based on IEEE1394 format.
- 3. The copyright protection method of digital signal as claimed in claim 1, wherein if said digital recording

apparatus is a recording apparatus having the hardware which does not performs processing of data in compliance with said copyright information, said transmission frame is supplied to the digital recording signal processing section only when said copyright protection information indicates copy free.

- 4. The copyright protection method of digital signal as claimed in claim 1, wherein if said digital recording apparatus is a recording apparatus having the hardware which performs processing of data in compliance with said copyright information, said digital interface detects based on said copyright protection information whether the copyright information included in the content of said transmission frame indicates the compliance, and if the result is YES, said copyright information in said content is acquired based on the signal format type information of said transmission header.
- 5. A medium for receiving a content including digital signal for performing copyright protection, in a header of a transmission frame of said digital signal to be transmitted a copyright protection information being contained, said copyright protection information restricting recording of said digital signal to be inputted to said digital recording apparatus, wherein said copyright

protection information includes:

the copy free information for indicating said digital recording apparatus that said digital signal is copy free, and

the information for indicating said digital recording apparatus so that said digital recording apparatus performs copy management in compliance with the copyright information included in the content of said transmitted transmission frame.

6. A digital recording apparatus provided with a digital interface, wherein said digital recording apparatus has;

means for detecting the copyright protection information provided in a transmission header of a transmission frame of a digital signal inputted through said digital interface, and

means for taking in the transmission frame and for allowing recording processing if said copyright protection information indicates copy free of said digital signal.

7. The digital recording apparatus provided with a digital interface as claimed in claim 6, wherein said digital recording apparatus is a recording apparatus having the hardware which does not perform processing in compliance

with the copyright information included in the content of said input digital signal, and has a switching means for supplying said transmission frame to the digital recording signal processing section only when said copyright protection information indicates copy free.

8. The digital recording apparatus provided with a digital interface as claimed in claim 6, wherein said digital recording apparatus is a recording apparatus having the hardware which performs processing in compliance with the copyright information included in the content of said input digital signal, said digital interface has:

a processing block for detecting based on said copyright protection information whether the copyright information included in the content of said transmission frame indicates the compliance, and

a block for acquiring said copyright information in said content based on the signal format type information of said transmission header if the detection result is YES.

9. A control IC for controlling a link layer of a digital interface mounted on a digital recording apparatus provided with said digital interface, wherein said control IC has;

means for detecting the copyright protection

information provided in a transmission header of a transmission frame of a digital signal inputted through said digital interface, and

means for taking in the transmission frame and for indicating recording processing to said digital recording apparatus if said copyright protection information indicates copy free of said digital signal.


- 10. The control IC as claimed in claim 9, wherein said control IC is mounted on said recording apparatus which does not perform processing in compliance with the copyright information included in the content of said input digital signal, and has a switching means for supplying said transmission frame to the digital recording signal processing section only when said copyright protection information indicates copy free.
- 11. The control IC as claimed in claim 9, wherein said control IC is mounted on said recording apparatus which performs processing in compliance with the copyright information included in the content of said input digital signal, and said control IC has:
- a processing block for detecting based on said copyright protection information whether the copyright information included in the content of said transmission

frame indicates the compliance, and


a block for acquiring said copyright information in said content based on the signal format type information of said transmission header if the detection result is YES.

ABSTRACT

The CGMS unacceptable recorder accepts transmission frames only when the copyright protection information in a transmission header transmitted to the IEEE1394 serial bus indicates copy free. The CGMS acceptable recorder accepts transmission frames when the copyright protection information in the transmission header indicates copy free. When the copyright protection information in the transmission header indicates compliance with the copyright information contained in the content of the transmission frame, the copyright information in the content is fetched based on the signal format type information of the transmission header. As described herein above, a copy management information changeable apparatus such as a computer cannot accept data other than copy free signals from the digital interface.



F16.2




F16.3A

-


F16.3B

rsv DBC	
SPH O BC N=	FDF
DBS	
SID	FMT
00	0

F1G.4



F I G.5



SONY-P7751

Declaration and Power of Attorney For Patent Application 特許出願宣言書

Japanese Language Declaration				
私は、下橋に氏名を記載した発明者として、以下のとおり変言する:	As a below named inventor, I hereby declare that:			
私の住所、郵便の宛先および国籍は、下機に氏名に続い て記載したとおりであり、	My residence, post office address and citizenship are as stated below next to my name,			
名称の発明に関し、請求の緊囲に記載した特許を求める主 題の本来の、最初にして唯一の発明者である(一人の氏名 のみが下機に記載されている場合)か、もしくは本来の、 最初にして共同の発明者である(推覧の氏名が下機に記載 されている場合)と信じ、	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled			
	DIGITAL RECORDING APPARATUS			
	AND COPYRIGHT PROTECTION			
	METHOD THEREOF			
その明紀書を	the specification of which			
(該当する方に印を付す)	(check one)			
□ ここに添付する。				
□日に出願番号	was filed onas			
第号として提出し、	Application Serial No.			
白に補正した。 (該当する場合)	and was amended on(if applicable)			
払は、前記のとおり補正した頃本の取回を含む前記明細 着の内容を検討し、理解したことを建立する。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.			
私は、連邦規則法典第37部第1章第56条(a)項に従い、 本額の審査に所要の情報を開示すべき義務を有することを 18める。	I acknowledge the duty to disclose all information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.			
Pan	e 1 of 4			

私は、会集国法典第35部第119 条にもとづく下記の外国 特許出験または発明者は出験の外国侵先権利益を主張し、 さらに優先権の主張に係わる基礎出験の出験日前の出験日 を有する外国特許出籍または発明者証出験を以下に明記す **&**:

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate issled below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Priority claimed

Pnor foreign applications 先の外国出題

先の外国出版			優先権	優先権の主張	
P08-255464 (Number) (6 4) P09-231980 (Number) (6 4)	Japan (Country) (D &) Japan (Country) (D &)	September 1996 (Day-Morne/Year Feed) (EMA) 7年 月日 28 AUGUST 1997 (Day-Morne/Year Feed) (出版の本月田)			
(Number)	(Country)	(Day/Month/Year Feed) (出致の年月日)	a i	g L	

虹は、合衆国法典第35部第120 条にもとづく下配の合衆 国特許出願の利益を主張し、本願の請求の範囲各項に記載 の主題が合衆国法典第35部第112 条第1項に規定の整復で 先の合衆国出版に開示されていない服皮において、先の出 版の出版日と本願の国内出版日またはPCT国際出版日の 間に公表された。連邦規則法典第37部第1章第56条に記載 の。特許性に対し重要である全ての情報を米国特許商原庁 に開示すべき載音を有することを認める:

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56which became available between the fitting date of the prior application and the national or PCT international filling date of this application:

(Application Senal No.)	(Faing Date)	(現 説)	
(出計長号)	(此故日)	(特許法み、係属中、数要法み)	
(Application Sensi No.)	(Fang Date)	(東 安)	
(批解音号)	(此版日)	(株許温み、係属中、数素温み)	

私は、ここに自己の知識にもとづいて行った競逐がすべ て異葉であり、自己の有する情報およびはずるところに従 って行った領述が其実であると信じ、さらに故意に虚偽の 額送等を行った場合、金乗国法典第18部第1001条により、 罰金もしくは禁煙に処せられるか、またはこれらの刑が係 料され、またかかる故意による虚偽の誰述が本願ないし本 験に対して付与される特許の有効性を扱うことがあること を封進して、以上の領还を行ったことを宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the lake so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Page 2 of 4

委任状:私は、下記免明者として、以下の代理人をここ に選任し、本願の手続を遂行すること並びにこれに関する 一切の行為を特許高標庁に対して行うことを委任する。 (代理人氏名および答録番長を明記のこと) POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attomey(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

. I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEYS WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH:

Karl A. Limbach	18,689	Alfred A. Equitz
George C. Limbach	19,305	W. Patrick Bengtsson
John K. Uilkema	20,282	Mark A. Dalla Valle
Neil A. Smith	25,441	Charles P. Sammut
Veronica C. Devitt	29,375	Richard A. Nebb
Ronald L. Yin	27,607	Richard E. Wawrzyniak
Gerald T. Sekimura	30,103	Alan D. Minsk
Michael A. Stellman	29,444	Mark C. Pickering
Philip A. Girard	28,848	Kathleen A. Frost
Michael J. Pollock	29,098	Alan S. Hodes
Stephen M. Everett	30.050	Patricia Coleman James

Alan A. Limbach Douglas C. Limbach 35,249 34,147 39,520 Snan J. Keating 28,901 Seong-Kun Oh 33,540 Mayumi Maeda 40,075 36,048 Kent J. Tobin 39,496 35,956 Michael R. Ward 36,239 Steven M. Santisi 40,157 37,326 J. Thomas McCarthy 22,420 38,185 Phillip D. Reilly
• Recognition under 37 CFR 10.9(b) 41,415 37 155

LIMBACH & LIMBACH Attn: Charles P. Sammut, Esq. 2001 Ferry Building San Francisco, CA 94111-4262

直通電話連絡先: (名称および電話番号)

Direct Telephone Calls to: (name and telephone number)
Charles P. Sammut
(415) 433-4150

唯一のまたは第一の発明者の氏名		Full name of sole or first inventor	~ ~~~~
		HISATO SHIMA	
同発明者の署名	日付	Inventor's signature	
住所		Residence Kanagawa, Japan	···
D#		Citizenship	
		Japan	
郵便の宛先		Post Office Address C/O SONY CORPORATION	
		7-35, Kitashinagawa 6-c	home.
		Shinagawa-ku, Tokyo, Ja	pan
第2の共同発明者の氏名 (該当する)	(4合)	Full name of second joint inventor, if any	
		TERUYOSHI KOMURO	
同第2発明者の署名	日付	Second Inventor's signature	Date
住所		Residence	
		Kanagawa, Japan	
運搬		Citizenship	
		Japan	
郵便の宛先		Post Office Address	
		c/o SONY CORPORATION	
		7-35, Kitashinagawa 6-6	chome,
		Shinagawa-ku, Tokyo, Ja	anan

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

Page 3 of 4

委任状: 私は、下記発明者として、以下の代理人をここ に選任し、本類の手続を遂行すること並びにこれに関する 一切の行為を特許高僚庁に対して行うことを委任する。 (代理人氏名および登録番号を明記のこと) POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (Est name and registration number)

I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEYS WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS

ATTECATION AND THE	MINORCI ALL DOOR	TEDO IN THE PARENT OF THE C	30111120120 1112		
Karl A. Limbach	18,689	Affred A. Equitz	30,922	Alan A. Limbach	39,749
George C. Limbach	19,305	W. Patrick Bengtsson	32,456	Douglas C. Limbach	35,249
John K. Uilkema	20,282	Mark A. Dalla Valle	34,147	Brian J. Keating	39,520
Neil A. Smith	25,441	Charles P. Sammut	28,901	Seong-Kun Oh*	
Veronica C. Devitt	29,375	Richard A. Nebb	33,540	Mayumi Maeda	40,075
Ronald L. Yin	27,607	Richard E. Wawrzyniak	36,048	Kent J. Tobin	39,496
Gerald T. Sekimura	30,103	Alan D. Minsk	35,956	Michael R. Ward	38,651
Michael A. Stallman	29,444	Mark C. Pickering	36,239	Steven M. Santisi	40.157
Philip A. Girard	28,848	Kathleen A. Frost	37,326	J. Thomas McCarthy	22,420
Michael J. Pollock	29,098	Alan S. Hodes	38,185	Philip D. Reilly	41,415
Stephen M. Everett-	30.050	Patricia Coleman James	37.155	* Recognition under 37 CFR 10,9(b)	

Charles P. Sammut, Esq. LIMBACH & LIMBACH L.L.P. 2001 Ferry Building San Francisco. CA 94111-4262

直通電話連絡先: (名称および電話番号)

Direct Telephone Calls to: (name and telephone number)

Charles P. Sammut (415) 433-4150

唯一のまたは第一の発明者の氏名		Full name of 3rd inventor	
		HARUMI KAWAMURA	
同発明者の署名	日付	inventor's signature	Date
性所		Residence Tokyo, Japan	
DH .		Citizenship Japan	
鉱便の発先		Post Office Address C/O SONY CORPORATION	
	•	7-35, Kitashinagawa 6- Shinagawa-ku, Tokyo, J	chome, apan
第2の共同発明者の氏名(は当する場)	})	Full name of inventor	
岡第2発明者の署名	日付	Inventor's signature	Date
住所		Residence	
œn .		Calizenship	
影使の発先		Post Office Address C/O SONY CORPORATION	
		7-35, Kitashinagawa 6- Shinagawa-ku, Tokyo, J	

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

Page of 4

Declaration and Power of Attorney For Patent Application 特許出願宣言書

Japanese Language Declaration

私は、下概に氏名を記載した発精者として、以下のとおり宣言する:	As a below named inventor, I hereby declare that:
私の住所、動使の来先および重复は、下機に氏名に続い て記載したとおりであり、	My residence, post office address and ottzenship are as stated below next to my name,
名称の食材に対し、は求の製屋に記せした特許を求める主 器の本来の、最初にして唯一の食物をである(一人の氏名 のみが下側に記せされている場合)が、もしくは本来の、 最初にして共同の食物をである(複数の氏名が下側に記せ されている場合)とほじ、	I believe I am the original, first and sole inventor (if only one name is lasted below) or an original, first and positiverstor (if plural names are lasted below) of the subject matter which is caskined and for which a patent is sought on the invention entitled
	DIGITAL RECORDING APPARATUS AN
	COPYRIGHT PROTECTION METHOD
	THEREOF
108E11	the specification of which
(用当する方に印を付す)	(check one)
□ ここに 芝 ガする。	is attached hereto.
D	🕽 was filed on September 3, 1997 as
表 号として技士し、	Application Serial No. 08/922,862
日に相正した。 (は当てる場合)	and was amended on(if applicable)
せは、前2のとおり補正した様本の取匿を含む前2時に 者の内容を検討し、理解したことを発達する。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
とは、連邦成制主義第37世第1章第55章(a)項に従い、 本払の言葉に研集の情報を結示すべき異様を有することを 払める。	I acknowledge the duty to disclose all information which in material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.
,	
Page	1 of
PTO-F8-265 (1-43) vised 04/92)	Patent and Trademark Office-U.S. DEPARTMENT OF COME

Priority claimed

Japanese Language Declaration

私は、合衆国法典系が終末119 条にもとづく下記の外国 特別出数または発明者は出版の外国優先権利益を主張し、 さらに優先権の主張に使わる基礎出版の出版日和の出版日 を有する外国特許出版または発明者は出版を以下に明記す る: I hereby claim foreign priority benefits under Tate 35. United States Code, §119 of any foreign application(s) for patient or inventor's certificate listed below and have also identified below any foreign application for patient or inventor's certificate having a lising data before that of the application on which priority is claimed:

Prior foreign applications 先の外国出額

先の外国出版			鎌先権の	主張
P08-255464 (Number) (6 %) P09-231980 (Number) (6 %) (Number) (6 %)	Japan (Conty) (D \$) Japan (Conty) (D \$)	05/09/1996 (Day-Month Year) (出版の本月日) (28/8/1997 (Day-Month Year Feed) (出版の本月日) (以版の本月日) (以版の本月日)		

起は、合衆国法典第35部第120条にもとづく下配の合衆 国特許出頭の利益を主張し、本裏の関連の配配各項に記載 の主題が合衆国法典第33部第112条第1項に規定の態度と たの合衆国出版で開示されていない概定とおいて、先の出 個の出題日と本版の国内出版日またはPCT国配出版日の 国に公表された、連手規則法典第37部第1章第56条に配載 の、特許性に対し重要である全ての情報を本国特許施限庁 に関系すべき販売を有することを認める: I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(t) lined below and, insofer as the subject matter of exhelf the claims of this application is not discharged to the prior United States application in the discharged to the prior United States Code, § 112,1 acknowledge the duty claims of the prior pargraph of Title 30,000 information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Sens) No.)	(Feing Date)
(出發著号)	(出触日)
(Application Sensi No.)	(Feing Date)

(#MB)

(現 没) (特許減み、係属中、数素減み)	(Status) (patented, pending, abandoned)
(現 汉) (株計温み、係属中、数素温み)	(Status) (pasented, pending, abandoned)

払は、ここに自己の知底にもとついて行った際達がすべて で異変であり、自己の表する情報およびはずるところに従 のて行った際は万度であるとはじ、さらに変更となり、 師送等を行った場合、全家国法典集188基1001をとしまり、 別まもしくは疑論に対せているか、またはこれの制が係 対され、またかかる故意による使協の施述が本員ないし本 総に対して付与される研究の契約を表立ことがあること を提出して、以上の服はを行ったことを重要する。 I hereby declare that all statements made herein of my own knowsdeg are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that will tales statements were made with the knowledge that will tales statements and the bits on made are punchable by fine or imprisonment, or both, under Section 1001 of Tute 18 of the United States Code and that such willful state statements may proparates the validity of the application or any patient issued thereon.

(出點番号)

委任状:私は、下記発明者として、以下の代理人をここ に退任し、本願の手続を遂行すること並びにこれに関する 一切の行為を特許商採庁に対して行うことを委任する。 (代理人氏名および登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEYS WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS APPLICATION AND TRANSPORT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH:

Karl A. Limbach	18,689	Philip A. Girard	28,848	Kathleen A. Frost	37,326
George C. Limbach	19.305	Michael J. Pollock	29,098	David Woycechowsky	39,079
John K. Uilkema	20.282	Stephen M. Everett	30,050	Alan S. Hodes	38,185
J. William Wigert, Jr.	24.582	Alfred A. Equitz	30,922	Patricia Coleman James	37,155
Philip M. Shaw, Jr.	25.376	W. Patrick Bengtsson	32,456	Alan A. Limbach	39,749
Neil A. Smith	25,441	Mark A. Dalla Valle	34,147	Slade E. Smith	37,447
Carrie L. Walthour	27.755	Charles P. Sammut	28,901	J. Thomas McCarthy	22,420
Veronica C. Devitt	29.375	Richard A. Nebb	33,540	Ted Naccarella	33,023
Ronald L. Yin	27,607	Richard E. Wawrzyniak	36,048	Michael R. Ward	38,651
Gerald T. Sekimura	30,103	Alan D. Minsk	35,956	Douglas C. Limbach	35,249
Michael A. Stallman	29,444	Mark C. Pickering	36,239		

書類の送付先:

Send Correspondence to:

Philip M. Shaw, Jr., Esq. LIMBACH & LIMBACH 2001 Ferry Building San Francisco, CA 94111-4262

直通電話連絡先:(名称および電話番号)

Direct Telephone Calls to: (name and telephone number)

Philip M. Shaw, Jr. (415) 433-4150

唯一のまたは第一の発明者の氏名		Full name of sole or first inventor HISATO SHIMA		
同発明者の署名	日付	Inventor's signature Mina Oct 30'97		
住所		KANAGAWA, JAPAN		
13 14		Cuizenship JAPANESE		
郵便の宛先		Post Office Address C/O SONY CORPORATION		
		7-35, Kitashinagawa 6-chome, Shinagawa-ku, Tokyo, Japan		
第2の共同発明者の氏名(該当する	(場合)	Full name of second joint inventor, if any TERUYOSHI KOMURO		
同第2発明者の署名	日付	Second Inventor's signature Date Ce \$ 27 87		
住所		Residence KANAGAWA, JAPAN		
国籍		Crizenship JAPANESE		
郵便の宛先		Post Office Address C/O SONY CORPORATION		
		7-35, Kitashinagawa 6-chome, Shinagawa-ku, Tokyo, Japan		
(第六またはそれ以降の共同発	明者に対しても同様な情	(Supply similar information and signature for third and sub		

(Supply similar information and signature for third and subsequent joint inventors.)

Page 3 of

報および署名を提供すること。)

委任状:私は、下記免明者として、以下の代理人をここ に選任し、本願の手続を遂行すること並びにこれに関する 一切の行為を特許高保庁に対して行うことを委任する。 (代理人氏名および登録番号を明記のこと) POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (Est name and registration number)

I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEYS WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT OFFICE CONNECTED THEREWITH:

Karl A. Limbach	18,689	Philip A. Girard	28,848	Kathleen A. Frost	37.326
George C. Limbach	19,305	Michael J. Pollock	29,098	David Woycechowsky	39,079
John K. Uilkema	20,282	Stephen M. Everett	30,050	Alan S. Hodes	38,185
J. William Wigert, Jr.	24.582	Alfred A. Equitz	30.922	Patricia Coleman James	37,155
Philip M. Shaw, Jr.	25.376	W. Patrick Bengtsson	32,456	Alan A. Limbach	39,749
Neil A. Smith	25.441	Mark A. Dalla Valle	34,147	Slade E. Smith	37.447
Carrie L. Walthour	27,755	Charles P. Sammut	28,901	J. Thomas McCarthy	22,420
Veronica C. Devitt	29,375	Richard A. Nebb	33,540	Ted Naccarella	33,023
Ronald L. Yin	27,607	Richard E. Wawrzyniak	36,048	Michael R. Ward	38,651
Gerald T. Sekimura	30,103	Alan D. Minsk	35,956	Douglas C. Limbach	35,249
Michael A. Stallman	29.444	Mark C. Pickering	36.239		

書類の送付先:

Send Correspondence to:

Philip M. Shaw, Jr., Esq. LIMBACH & LIMBACH 2001 Ferry Building San Francisco, CA 94111-4262

直通電話連絡先: (名称および電話番号)

Direct Telephone Calls to: (name and telephone number)

Philip M. Shaw, Jr. (415) 433-4150

唯一のまたは第一の発明者の氏名		Full name ofthird inventor	
		HARUMI KAWAMURA	
可発明者の署名	日付	Inventor's signature	Date
		Harrin Konvamora	ct 27 , 199
±#f		Residence	
		TOKYO, JAPAN	
		Citizenship	
		JAPANESE	
郵便の宛先		Post Office Address	
-		c/o SONY CORPORATION	
		7-35, Kitashinagawa 6-c	
		Shinagawa-ku, Tokyo, Ja	pan
第2の共同発明者の氏名(註当する	4 송)	Full name of fourth inventor	
国第2発明者の署名	日付	Inventor's signature	Date
生所		Residence	
		Crtizenship	
医便の発先		Post Office Address	
		c/o SONY CORPORATION	
•		7-35, Kitashinagawa 6-c	
		Shinagawa-ku, Tokyo, Ja	pan

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)

Page of